


73 B



Practitioner's Docket No. 12055

PATENT

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re application of: Stephen Rickner et al
Application No.: 099944,561 Group No.: 1732
Filed: August 31, 2001 Examiner: M. Fontaine
For: Method For Making A Polyurea-Polyurethane Composite
Structure Substantially Free Of Volatile Organic Compounds

Mail Stop Petition
Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

**CORRECTION OF ☒ TYPOGRAPHICAL ☐ TRANSLITERATION ERROR
IN SPELLING OF INVENTOR'S NAME**

NOTE: "When a typographical or transliteration error in the spelling of an inventor's name is discovered during pend[e]ncy of an application, a petition is not required, nor is a new oath or declaraton under 37 CFR 1.63 needed. The Patent and Trademark Office should simply be notified of the error and reference to the notification paper will be made on the previously filed oath or declaration by the Office." § 605.04(b), M.P.E.P., 7th Ed.

1. Applicant respectfully requests the correction of the

- ☒ typographical
☐ transliteration

error in the spelling of the inventor's name on the PTO records.

2. The correct spelling of the inventor's name is: Micheal May

CERTIFICATE OF MAILING/TRANSMISSION (37 C.F.R. § 1.8(a))


I hereby certify that this correspondence is, on the date shown below, being:

MAILING

XX deposited with the United States Postal Service with sufficient postage as first class mail in an envelope addressed to the Commissioner for Patents, P.O. Box 1450 Alexandria, VA 22313-1450

FACSIMILE

☐ transmitted by facsimile to the Patent and Trademark Office.


Signature

Date: 7/6/04

Lori D. DeGiulio
(type or print name of person certifying)

Reg. No.: 34,780

Tel. No.: (734) 324-6193

Customer No.: 28484



SIGNATURE OF PRACTITIONER

Fernando A. Borrego
(type or print name of practitioner)

1609 Biddle Avenue
P.O. Address

Wyandotte, MI 48192

(Correction of ☐ Typographical ☐ Transliteration Error in Spelling of Inventor's Name [9-62]—page 2 of 2)